

The PrecisionCounter 500[™] has 3 configurable values

- The number of tickets to dispense each batch: between 1 and 50 •
- The dispense mode for each batch: manual or automatic (1 to 9 second delay)
- The number of tickets dispensed so far: this value increments automatically and can only be reset

a) Quick dispense



Batch-1 Totals-2 Set Auto Batch-3



This is the Batch Menu



To change the number of tickets to dispense, enter a value between 1 and 50

(This value can be changed at any point when the Batch Menu is visible on the display)



To dispense the first batch of tickets ...

PRESS # (or the square pushbutton switch)

If the display returns to the Batch Menu, the machine is configured for manual operation. You must press #, or the square pushbutton switch, in order to dispense each batch of tickets

If, however, the ticket counter displays this screen ...



... the ticket counter is configured for automatic batching; after you remove the 1st batch of tickets, the next batch of tickets will automatically dispense



To return to the Main Menu ...

PRESS (until you see the Main Menu)

© 2012 Arrow International, Inc. 9900 Clinton Rd. Cleveland, OH 44144 • Toll Free: 800.321.0757 Technical Assistance Center (8 AM - 12AM EST): 800.277.6214 www.arrowinternational.com



b)	Choose between automatic or manual dispense		d)	f there are not enough ickets in the column to
		/hen you see the <i>Main Menu</i>		complete a batch
		Batch-1 Totals-2		1 the following message will flash for 2 seconds
		Set Auto Batch-3		Warning ! ! ! Dispense Failed
	2 рі	RESS 5 to see		7 The next message gives the operator a choice
		Auto Batch Delay 5 Sec. Press #		Continue Batch - #
	3 If	you want to dispense each batch of ckets manually		# (or the square pushbutton switch) - the ticket
	PI	RESS 0		counter will attempt to immediately dispense the remaining number of tickets from the incomplete batch * - the ticket counter will return to the <i>Batch Menu</i> and
	4 If	If you want automatic batching, enter a value between 1 and 9 this is how many seconds the ticket counter		add the number of tickets that <i>were</i> dispensed, to the counter of dispensed tickets
	hc	opper) before dispensing the next batch		3 If <i>Warning!!! Dispense Failed</i> , appears, but there <i>are</i> tickets in the column, the bottom ticket might not be touching the rollers
	5 To	p return to the <i>Main Menu</i>		Lift the tickets, as pictured in the Figure below: this should cause the bottom ticket to rest on the rollers
	View or resot the Totals			After you let go of the tickets
U)	VIEV	w, of resel, the rotars		PRESS <i>iii</i> (or the square pusbutton switch)
		Nen you see the Main Menu		
		Set Auto Batch-3		
	2 PI	PRESS 2 to see		
		24142 * - Reset # - Cont		
	3 If	you would like to reset the total count of ckets dispensed		
	PI	PRESS 1		
	4 To	o return to the <i>Main Menu</i>		
	PI	RESS #	9900 0	© 2012 Arrow International, Inc.

